



## Detailed information for: C11 110-100

This page contains technical data sheet, documents library and links to offering related to this product. If you require any other information, please contact us using form located at the bottom of the page.

# C11 110-100

## General Information

<b>Extended Product Type:</b>	C11 110-100
<b>Product ID:</b>	2CMA100014R1000
<b>ABB Type Designation:</b>	C11 110-100
<b>EAN:</b>	7392696000147
<b>Catalog Description:</b>	Active energy Cl. B;
<b>Long Description:</b>	Electricity meter, 1 phase, Active energy Cl. 1 & B, Approved according to: IEC 62052-11, IEC 62053-21, EN 50470-1, EN 50470-3

## Categories

Products » Low Voltage Products and Systems » Modular DIN Rail Products » Electricity Meters for DIN Rail » Electricity Meters

## Ordering

<b>EAN:</b>	7392696000147
<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	90283011

## Dimensions

<b>Product Net Width:</b>	17.5 mm
<b>Product Net Height:</b>	111 mm
<b>Product Net Depth:</b>	65 mm
<b>Product Net Weight:</b>	0.066 kg

## Container Information

<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	32 mm
<b>Package Level 1 Height:</b>	84 mm
<b>Package Level 1 Length:</b>	117 mm
<b>Package Level 1 Gross Weight:</b>	0.123 kg
<b>Package Level 1 EAN:</b>	7392696000147

## Environmental

<b>RoHS Status:</b>	Following EU Directive 2002/95/EC August 18, 2005 and amendment
---------------------	---

## Additional Information

<b>Accuracy:</b>	Active energy Cl. B
<b>Communication:</b>	Pulse output
<b>Communication Interface:</b>	Pulse output
<b>Connecting Capacity Main Circuit:</b>	0.5 ... 10 mm <sup>2</sup>
<b>Degree of Protection:</b>	IP20
<b>Enclosure Material:</b>	Plastic
<b>Frequency (f):</b>	50/60 Hz
<b>Function:</b>	Electricity meter
<b>IIT Publishing Status:</b>	Level 0 - Information enabled
<b>Meter Type:</b>	Direct connected
<b>Mounting Type:</b>	DIN rail
<b>Number of Phases:</b>	1
<b>Product Main Type:</b>	C11
<b>Product Name:</b>	Electricity Meter
<b>Rated Current (I<sub>n</sub>):</b>	40 A

---

Rated Voltage (U <sub>r</sub> ):	230 V
RoHS Date:	2011-44
Standards:	IEC 62052-11, IEC 62053-21, EN 50470-1, EN 50470-3
Sub-Function:	Steel

---

### Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 2CMC486001D0001

Instructions and Manuals: 2CMC486002M0201

RoHS Information: 2CMC486003

Data Sheet, Technical Information: 2CMC481003C0201

### Classifications

E-number: 0900055

ETIM 4: EC001506 - Electronic kilowatt-hour meter

ETIM 5: EC001506 - Kilowatt-hour meter

ETIM 6: EC001506 - Kilowatt-hour meter

Object Classification Code: P

