

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product name:** Soak off Builder gel Item number 1212073015

Tel:

Pages: 10

Use of substance / mixture: PC39: Cosmetics, personal care products

Details of the supplier of the safety data sheet:

**Company name:** International Beauty Partners B.V.

De Run 4221

5503 LM Veldhoven The Netherlands +31 (0) 40 - 2069509 +31 (0) 40 - 2065481

**Fax:** +31 (0) 40 - 2065481 **Email:** info@wwbdgroup.com

Emergency tel: National Poison Centre Netherlands tel: +31 (0)30 – 2748888 '

Only for the purpose of informing medical personnel in cases of acute intoxications'

### **SECTION 2. HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317;

Most important adverse effects: HARMFUL IF SWALLOWED, ABSORBED THROUGH SKIN OR INHALED. DO NOT SPRAY. DO NOT HEAT. MAY CAUSE ALLERGIC SKIN REACTION.

CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION

2.2 Label elements

Hazard pictograms	GHS07: Exclamation mark
Signal word	Warning
Hazard statements	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H412: Harmful to aquatic life with long lasting effects
Precautionary statements	P271: Use only outdoors or in a well-ventilated area.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P304+340: IF INHALED: Remove person to fresh air and keep comfortable for
	breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several

	minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312: Call a POISON CENTER/doctor//if you feel unwell.
General	

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1.Mixtures

Components	#CAS	EINECS	CLP classification	Contents
Di-HEMA Trimethylhexyl Dicarbamate	41137-60-4	255-239-5	Aquatic Chronic 3	75 - 100
			H412 harmful to aquatic life with	
			long lasting effects	
HEMA	868-77-9	212-782-2	Skin Irrit. 2-H315 Causes skin	10-25
			irritation	
			Eye Irrit. 2 H319 Causes serious eye	
			irritation	
			Skin Sens. 1 H317 May cause an	
			allergic skin reaction	
Ethyl Trimethybenzoyl	84434-11-7	282-810-6	Skin Sens. 1B	1-5
Phenylphosphinate			H317 May cause an allergic	
			skin reaction	
			Aquatic Chronic 2	
			H411 toxic to aquatic life with	>
			long lasting effects	
Hydroxycyclohexyl Phenyl Ketone	947-19-3	213-426-9	Not classified	1-5
Violet 2	81-48-1	201-353-5	Skin Sens. 1B	0.1-1
			H317 May cause an allergic	<b>*</b>
			skin reaction	
			Aquatic Chronic 413 May cause long	
			lasting harmful effects to aquatic life	

### **SECTION 4. FIRST AID MEASURES**

### 4.1. Description of first aid measures

**Skin contact**: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

# 4.2 Most important symptoms and effects, both acute and delayed

**Skin contact**: There may be irritation and redness at the site of contact.

**Eye contact**: There may be irritation and redness. The eyes may water profusely.

**Ingestion**: There may be soreness and redness of the mouth and throat.

**Inhalation**: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

### **SECTION 5. FIRE-FIGHTING MEASURES**

# 5.1. Extinguishing media

**Immediate / special treatment**: Eye bathing equipment should be available on the premises **Extinguishing media**: Foam, dry chemical or carbon dioxide

### 5.2. Special hazards arising from the substance or mixture

**Hazardous combustion products:** Oxides of carbon. Oxides of nitrogen. Irritating organic vapors. Toxic fumes **Unusual fire or explosion hazards:** Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Flash point:> 100°C

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures**: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS

### **SECTION 7. HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

**Handling requirements**: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions**: For safe storage, store at or below30°C (86°F). Product is extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store away from incompatible materials. Keep this materials away from heat, sparks, and open flame. Keep containers tightly closed when not in use..

### 7.3. Specific end use(s)

Specific end use(s): No data available

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Engineering Controls

Workplace exposure limits	No data available.
DNEL / PNEC	No data available.

## 8.2. Exposure controls

Engineering measures	Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits
Hygiene measures	
Eye/face protection	Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield
Hand protection	Use impermeable gloves and protective clothing as necessary to prevent skin contact.  Neoprene gloves
Body protection	Protective clothing.
Other skin protection	Protective clothing.
Respiratory protection	Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Psysical State	viscous
Form	
Odor	Characteristic acrylate odor
Boiling Point/Freezing Point	
Melting point/range	
Flash point (°F/°C)	>100
pH	n/a
Evaporation rate	
Vapour pressure	
Relative density	
Solubility In Water	
Specific Gravity	(H20=1) 1.15
Viscosity	Viscous
% Volatile	
Decomposition Temperature	
Ignition	
Octanol/Water Partioning Coefficient Log Po/w	
Flammable Limit (vol%)	
Auto-ignition Temperature (vol%)	

NDA= No Data Available

# **SECTION 10. STABILITY AND REACTIVITY**

# 10.1. Reactivity

Reactivity:	Stable under recommended transport or storage conditions

# 10.2. Chemical stability

Chemical stability	

# 10.3. Possibility of hazardous reactions

Hazardous reactions	Hazardous reactions will not occur under normal transport or storage
	conditions. Polymerisation may occur on exposure to conditions or materials
	listed below. Decomposition may occur on exposure to conditions or
	materials listed below

### 10.4. Conditions to avoid

Conditions to avoid	Storage>100°F/38°C, exposure to light, loss of dissolved air, loss of
	polymerization, contamination with incompatible materials.

### 10.5. Incompatible materials

Materials to avoid	Strong oxidising agents. Strong acids

### 10.6. Hazardous decomposition products

Hazardous decomposition products	May occur Uncontrolled polymerization may cause rapid evolution of heat
	and increased pressure that could result in violent rupture of sealed storage
	vessels or containers.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

**Hazardous ingredients** 

HYDROXY PROPYL METHACRYLATE								
ORAL	RAT			LD50	11600		Mg/kg	
Relevant hazards for p	roduct							
Hazard			Route		Basis			
Skin corrosion/irritation		DRM			Da	Data lacking		
Serious eye damage/irritation			OPT			Da	Data lacking	
Respiratory/skin sensitization		DRM		Data lacking				
STOT-single exposure		INH		Data lacking				
Symptoms / routes of	exposure							
Skin contact		The	There may be irritation and redness at the site of contact					
Eye contact		The	There may be irritation and redness. The eyes may water profusely					
Ingestion:		The	There may be soreness and redness of the mouth and throat					
Inhalation:		The	There may be irritation of the throat with a feeling of tightness in the chest.					
Delayed / immediate e	effects	Immediate effects can be expected after short-term exposure						

# **SECTION 12. ECOLOGICAL INFORMATION**

# 12.1 Toxicity

nazaruous ingredients				

### 12.3 Bioaccumulative potential

Bioaccumulative potential	Bioaccumulation potential
12.4 Mobility in soil	

#### 12.4 Mobility in soil

Mobility	
----------	--

### 12.5. Results of PBT and vPvB assessment

PBT identification	This product is not identified as a PBT/vPvB substance
Mobility	Readily absorbed into soil

### 12.6. Other adverse effects

Other adverse effects	

### **SECTION 13. DISPOSAL CONSIDERATIONS**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1. Waste treatment methods

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal

### **SECTION 14. TRANSPORT INFORMATION**

DOT (49 CFR 172)	Not regulated.
Proper Shipping Name	
Identification #	
Marine Pollutant	
Special Provisions	
Emergency Response Guidebook (ERG)#	
IATA (DGR)	Not regulated.
Proper Shipping Name	
Class or Division	
UN or ID Number	
Packaging instructions	
Emergency Response Guidance (ICAO)#	
IMO (IMDG)	Not regulated.
Proper Shipping Name	
Class or Division	
UN or ID Number	
Special Provisions & Stowage/Segregation	
Emergency Schedule (EmS)#	
Other Information	

#### **SECTION 15. REGULATORY INFORMATION**

15.1Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV None of the components are listed.

### **SECTION 16. OTHER INFORMATION**

**Other information**: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. This safety data sheet is prepared in accordance with Commission Regulation (EC) No 1272/2008.

#### Phrases used in s.2 and s.3:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

The information presented in this MSDS was obtained from sources considered to be reliable. However the information is provided without any warranty, expressed or implied, regarding its correctness and suitability for consumers intended use and/or application. For this reason, we assume no responsibility and expressly disclaim liability for loss, damage, or expense arising out of any use connected with the handling, storage, use or disposal of the product. If the product is used in conjunction with another product, the information within the MSDS may not be applicable.

Prepared by; DVD Group - De Run 4221 – 5503LM - Veldhoven - Netherlands - Tel: +31 (0) 40 -2307559 – info@dvdgroup.eu